

TEAM[®] Industrial Services
SAFETY DATA SHEET

1. Product and Company Identification

Material name G-Fiber CG
Version # 00
Issue date 02-21-2013
Revision date 02-21-2013
Supersedes date -
Chemical description Aluminum Silicate
CAS # Mixture
Product code 802-0014
Product use Industrial Leak Sealant
Manufacturer information
Manufacturer/Supplier Team Industrial Services, Inc.
200 Hermann Drive, Alvin, Texas 77511
Emergency Contact CHEMTREC - 24 HOURS
USA: CHEMTREC: 800-424-9300
International: 703-527-3887 (Collect)

2. Hazards Identification

Physical state Solid.
Appearance Fiber material.
Emergency overview WARNING
Dust may irritate the respiratory tract, skin and eyes. Cancer hazard - can cause cancer.
OSHA regulatory status This product is hazardous according to OSHA 29 CFR 1910.1200.
Potential health effects
Routes of exposure Eye contact. Skin contact.
Eyes Dust in the eyes will cause irritation.
Skin Prolonged or repeated skin contact may cause irritation.
Inhalation May cause respiratory tract irritation. Respirable crystalline silica (quartz) can cause silicosis, a fibrosis (scarring) of the lungs.
Ingestion May cause discomfort if swallowed. Ingestion of dusts generated during working operations may cause nausea and vomiting.
Chronic effects Cancer hazard - can cause cancer.
Signs and symptoms Irritation of nose and throat. Irritation of eyes and mucous membranes.
Potential environmental effects The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

3. Composition / Information on Ingredients

Components	CAS #	Percent
Quartz	14808-60-7	50-80
Refractories, Fibers, Aluminosilicate	142844-00-6	10-25

Composition comments All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First Aid Measures

First aid procedures
Eye contact Do not rub eyes. Flush thoroughly with water. If irritation occurs, get medical assistance.
Skin contact Wash area with soap and water. Get medical attention if irritation develops or persists.
Inhalation Remove victim to fresh air. Get medical attention if symptoms persist.

Ingestion	Rinse mouth and drink plenty of water. Only induce vomiting at the instruction of medical personnel. Get medical attention if any discomfort occurs.
Notes to physician	Treat symptomatically.
General advice	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire Fighting Measures

Extinguishing media

Suitable extinguishing media Water spray, foam, dry powder or carbon dioxide.

Unsuitable extinguishing media No restrictions known.

Protection of firefighters

Specific hazards arising from the chemical During fire, gases hazardous to health may be formed.

Protective equipment and precautions for firefighters Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions Use standard firefighting procedures and consider the hazards of other involved materials. Cool material exposed to heat with water spray and remove it if no risk is involved.

Hazardous combustion products None known.

6. Accidental Release Measures

Personal precautions Avoid dust formation. Avoid inhalation of dust. Avoid prolonged and repeated contact. See Section 8 of the MSDS for Personal Protective Equipment.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

Methods for containment Prevent entry into waterways, sewer, basements or confined areas.

Methods for cleaning up Collect dust using a vacuum cleaner equipped with HEPA filter.

Other information Clean up in accordance with all applicable regulations.

7. Handling and Storage

Handling Avoid inhalation of dust. Use work methods which minimize dust production. Provide adequate ventilation. Avoid prolonged and repeated contact. Observe good industrial hygiene practices.

Storage Store in closed original container in a dry place. Keep away from open flames.

8. Exposure Controls / Personal Protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0.025 mg/m ³	Respirable fraction.

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0.3 mg/m ³	Total dust.
		0.1 mg/m ³	Respirable.
		2.4 millions of particle	Respirable.

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0.025 mg/m ³	Respirable particles.

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0.025 mg/m ³	Respirable fraction.

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable.

Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable dust.

Mexico. Occupational Exposure Limit Values

Components	Type	Value
Quartz (CAS 14808-60-7)	TWA	0.1 mg/m3

Engineering controls	Provide adequate ventilation. Observe occupational exposure limits and minimize the risk of inhalation of dust.
Personal protective equipment	
Eye / face protection	Risk of contact: Wear approved safety glasses or goggles.
Skin protection	Where skin contact is likely, wear chemical impervious gloves. In accordance with good industrial hygiene practices, precautions should be taken to avoid skin contact.
Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA 29 CFR 1910.134. If airborne concentrations are above the applicable exposure limits, use NIOSH approved respiratory protection.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical & Chemical Properties

Appearance	Fiber material.
Physical state	Solid.
Form	Fiber material.
Color	Grey. Odor Odorless.
Odor threshold	Not available.
pH	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Boiling point	Not available.
Melting point/Freezing point	Not available.
Solubility (water)	slightly soluble in water.
Specific gravity	Not available.
Flash point	560 °F (293.3 °C) Closed Cup
Flammability limits in air, upper, % by volume	Not available.
Flammability limits in air, lower, % by volume	Low
Auto-ignition temperature	Not available.
Partition coefficient (n-octanol/water)	No data available.

10. Chemical Stability & Reactivity Information

Chemical stability	Material is stable under normal conditions.
Conditions to avoid	None known.
Incompatible materials	None known.

Hazardous decomposition products	None known.
Possibility of hazardous reactions	Hazardous polymerization does not occur.

11. Toxicological Information

Sensitization	Not a skin sensitizer.
Acute effects	May cause discomfort if swallowed.
Local effects	May cause eye irritation on direct contact. Prolonged or repeated skin contact may cause irritation.
Chronic effects	Cancer hazard - can cause cancer. Respirable crystalline silica (quartz) can cause silicosis, a fibrosis (scarring) of the lungs.
Carcinogenicity	Prolonged breathing of high levels of crystalline silica can cause silicosis. Also, airborne crystalline silica is possibly carcinogenic to humans.

ACGIH Carcinogens

Quartz (CAS 14808-60-7) A2 Suspected human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

Quartz (CAS 14808-60-7) 1 Carcinogenic to humans.

US NTP Report on Carcinogens: Known carcinogen

Quartz (CAS 14808-60-7) Known To Be Human Carcinogen.

Symptoms and target organs	Irritation of eyes and mucous membranes. Irritation of nose and throat.
-----------------------------------	---

12. Ecological Information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Environmental effects	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Persistence and degradability	No data available.
Bioaccumulation / Accumulation	No data available.
Partition coefficient	No data available.
Mobility in environmental media	No data available.

13. Disposal Considerations

Waste codes	Not regulated.
Disposal instructions	Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Recover and reclaim or recycle, if practical.
Contaminated packaging	Dispose product packaging in accordance with local authority requirements taking into account characteristics of the packaging material.

14. Transport Information

DOT	Not regulated as a hazardous material by DOT.
IATA	Not regulated as dangerous goods.
IMDG	Not regulated as dangerous goods.
TDG	Not regulated as dangerous goods.

15. Regulatory Information

US federal regulations	This product is hazardous according to OSHA 29 CFR 1910.1200.
TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)	Not regulated.

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

CERCLA (Superfund) reportable quantity (lbs) (40 CFR 302.4)

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories
Immediate Hazard - Yes
Delayed Hazard - Yes
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

Section 302 extremely hazardous substance (40 CFR 355, Appendix A)
No

Section 311/312 (40 CFR 370)
Yes

Drug Enforcement Administration (DEA) (21 CFR 1308.11-15)
Not controlled

Canadian regulations
This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

WHMIS status
Controlled

WHMIS classification
D2A - Other Toxic Effects-VERY TOXIC

WHMIS labeling



Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

State regulations WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Quartz (CAS 14808-60-7) Listed.

Refractories, Fibers, Aluminosilicate (CAS 142844-00-6) Listed.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Quartz (CAS 14808-60-7) Listed: October 1, 1988 Carcinogenic.

Refractories, Fibers, Aluminosilicate (CAS 142844-00-6) Listed: July 1, 1990 Carcinogenic.

US - New Jersey RTK - Substances: Listed substance

Quartz (CAS 14808-60-7) Listed.

US. Massachusetts RTK - Substance List

Quartz (CAS 14808-60-7) Listed.

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. Pennsylvania RTK - Hazardous Substances

Quartz (CAS 14808-60-7)

Listed.

16. Other Information

Further information

HMIS® is a registered trade and service mark of the NPCA.
I - Safety Glasses, Gloves, Dust, Vapor Respirator

HMIS® ratings

Health: 2*
Flammability: 1
Physical hazard: 0
Personal protection: I

NFPA ratings

Health: 2
Flammability: 1
Instability: 0

Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available.