

**SAFETY DATA SHEET****SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Trade name or designation of the mixture	PRI-250 FP Part A
Registration number	-
Synonyms	None.
Product Code	807-0025A
Issue date	20-August-2013
Version number	00
Revision date	20-August-2013
Supersedes date	-

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Identified uses	Industrial Leak Sealant.
Uses advised against	None known.

**1.3. Details of the supplier of the safety data sheet**

Manufacturer/Supplier	Team Industrial Services, Inc.
Address	Postbus 37 4380 AA Vlissingen 3237 The Netherlands
Telephone	+31 (0) 118 48 58 00
Fax	+31 (0) 118 48 58 86
e-mail	Not available.
Contact person	Not available.

1.4. Emergency telephone number	+(61)-290372994, +1 703-527-3887
---------------------------------	----------------------------------

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture**

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

**Classification according to Directive 67/548/EEC or 1999/45/EC as amended**

This preparation does not meet the criteria for classification according to Directive 1999/45/EC as amended.

**Classification according to Regulation (EC) No 1272/2008 as amended**

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

**Hazard summary**

Physical hazards	Not classified for physical hazards. <b>Health</b>
hazards	Not classified for health hazards.
Environmental hazards	Not classified for hazards to the environment.
Specific hazards	May irritate eyes.
Main symptoms	Symptoms include itching, burning, redness and tearing.

**2.2. Label elements****Label according to Regulation (EC) No. 1272/2008 as amended**

Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.

**Precautionary statements**

Prevention	Observe good industrial hygiene practices.
Response	Wash thoroughly after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.

Supplemental label information	Not applicable.
--------------------------------	-----------------

2.3. Other hazards	Not a PBT or vPvB substance or mixture.
--------------------	---

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
Polyvinylsiloxane	30-60	68083-19-2	-	-	
<b>Classification:</b>					
<b>DSD:</b>	-				
<b>CLP:</b>	-				
Quartz	30-60	14808-60-7 238-878-4	-	-	
<b>Classification:</b>					
<b>DSD:</b>	-				
<b>CLP:</b>	-				
Polyalkylalkenylsiloxane	10-30	68584-83-8 271-545-1	-	-	
<b>Classification:</b>					
<b>DSD:</b>	-				
<b>CLP:</b>	-				
Calcium carbonate	1-5	471-34-1 207-439-9	-	-	
<b>Classification:</b>					
<b>DSD:</b>	Xi;R36				
<b>CLP:</b>	Eye Irrit. 2;H319				

DSD: Directive 67/548/EEC.  
CLP: Regulation No. 1272/2008.

**Composition comments** The full text for all R- and H-phrases is displayed in section 16. All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

## SECTION 4: First aid measures

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

### 4.1. Description of first aid measures

**Inhalation** No specific first aid measures noted.

**Skin contact** Wash area with soap and water. Get medical attention if irritation develops or persists.

**Eye contact** Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.

**Ingestion** Rinse mouth and drink plenty of water. Only induce vomiting at the instruction of medical personnel. Get medical attention if any discomfort occurs.

**4.2. Most important symptoms and effects, both acute and delayed** Direct contact with eyes may cause temporary irritation. Defats the skin.

**4.3. Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

## SECTION 5: Firefighting measures

**General fire hazards** The product is not flammable. Will burn if involved in a fire.

### 5.1. Extinguishing media

**Suitable extinguishing media** Water spray, foam, dry powder or carbon dioxide.

**Unsuitable extinguishing media** No restrictions known.

**5.2. Special hazards arising from the substance or mixture** During fire, gases hazardous to health may be formed.

### 5.3. Advice for firefighters

#### Special protective equipment for firefighters

Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

#### Special fire fighting procedures

Use standard firefighting procedures and consider the hazards of other involved materials. Cool material exposed to heat with water spray and remove it if no risk is involved.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Avoid contact with skin and eyes.

#### For emergency responders

Use personal protection as recommended in section 8 of the SDS.

### 6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

### 6.3. Methods and material for containment and cleaning up

Collect and dispose of spillage as indicated in section 13 of the SDS.

### 6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Provide adequate ventilation. Avoid contact with skin and eyes. Observe good industrial hygiene practices.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in closed original container in a dry place. Store away from incompatible materials.

### 7.3. Specific end use(s)

Industrial Leak Sealant.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

##### Austria. MAK List

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	MAK	0,15 mg/m <sup>3</sup>	Respirable dust.

##### Belgium. Exposure Limit Values.

Components	Type	Value	Form
Calcium carbonate (CAS 471-34-1)	TWA	10 mg/m <sup>3</sup>	
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m <sup>3</sup>	Respirable dust.

##### Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work

Components	Type	Value	Form
Calcium carbonate (CAS 471-34-1)	TWA	1 fibers/cm <sup>3</sup>	Respirable fraction.
		10 mg/m <sup>3</sup>	Inhalable fraction.
		10 mg/m <sup>3</sup>	
Quartz (CAS 14808-60-7)	TWA	0,07 mg/m <sup>3</sup>	Respirable fraction.

##### Cyprus. OELs. Control of factory atmosphere and dangerous substances in factories regulation, PI 311/73, as amended.

Components	Type	Value
Calcium carbonate (CAS 471-34-1)	TWA	10 mg/m <sup>3</sup>

##### Czech Republic. OELs. Government Decree 361

Components	Type	Value	Form
Calcium carbonate (CAS 471-34-1)	TWA	10 mg/m <sup>3</sup>	Dust.
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m <sup>3</sup>	Respirable dust.

##### Denmark. Exposure Limit Values

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TLV	0,3 mg/m <sup>3</sup>	Total
		0,1 mg/m <sup>3</sup>	Respirable.

**Estonia. OELs. Occupational Exposure Limits of Hazardous Substances. (Annex of Regulation No. 293 of 18 September 2001)**

Components	Type	Value	Form
Calcium carbonate (CAS 471-34-1)	TWA	5 mg/m <sup>3</sup>	Respirable dust.
Quartz (CAS 14808-60-7)	TWA	10 mg/m <sup>3</sup> 0,1 mg/m <sup>3</sup>	Respirable dust.

**Finland. Workplace Exposure Limits**

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,05 mg/m <sup>3</sup>	Respirable.

**France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984**

Components	Type	Value	Form
Calcium carbonate (CAS 471-34-1)	VME	10 mg/m <sup>3</sup>	
Quartz (CAS 14808-60-7)	VME	0,1 mg/m <sup>3</sup>	Respirable fraction.

**Greece. OELs (Decree No. 90/1999, as amended)**

Components	Type	Value	Form
Calcium carbonate (CAS 471-34-1)	TWA	5 mg/m <sup>3</sup>	Respirable.
		10 mg/m <sup>3</sup>	Inhalable

**Hungary. OELs. Joint Decree on Chemical Safety of Workplaces**

Components	Type	Value	Form
Calcium carbonate (CAS 471-34-1)	TWA	10 mg/m <sup>3</sup>	
Quartz (CAS 14808-60-7)	TWA	0,15 mg/m <sup>3</sup>	Respirable.

**Iceland. OELs. Regulation 154/1999 on occupational exposure limits**

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,3 mg/m <sup>3</sup> 0,1 mg/m <sup>3</sup>	Total dust. Respirable dust.

**Ireland. Occupational Exposure Limits**

Components	Type	Value	Form
Calcium carbonate (CAS 471-34-1)	TWA	4 mg/m <sup>3</sup>	Respirable dust.
Quartz (CAS 14808-60-7)	TWA	10 mg/m <sup>3</sup> 0,1 mg/m <sup>3</sup>	Total inhalable dust. Respirable dust.

**Italy. OELs**

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,025 mg/m <sup>3</sup>	Respirable fraction.

**Latvia. OELs. Occupational exposure limit values of chemical substances in work environment**

Components	Type	Value	Form
Calcium carbonate (CAS 471-34-1)	TWA	6 mg/m <sup>3</sup>	

**Lithuania. OELs. Limit Values for Chemical Substances, General Requirements (Hygiene Norm HN 23:2007)**

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m <sup>3</sup>	Respirable fraction.

**Netherlands. OELs (binding)**

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,075 mg/m <sup>3</sup>	Respirable dust.

**Norway. Administrative Norms for Contaminants in the Workplace**

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TLV	0,3 mg/m <sup>3</sup> 0,1 mg/m <sup>3</sup>	Total dust. Respirable dust.

**Poland. MACs. Minister of Labour and Social Policy Regarding Maximum Allowable Concentrations and Intensities in Working Environment**

Components	Type	Value	Form
Calcium carbonate (CAS 471-34-1)	TWA	10 mg/m <sup>3</sup>	Dust.
Quartz (CAS 14808-60-7)	TWA	2 mg/m <sup>3</sup> 0,3 mg/m <sup>3</sup>	Total dust. Respirable dust.

**Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796)**

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,025 mg/m <sup>3</sup>	Respirable fraction.

**Slovakia. OELs. Decree of the government of the Slovak Republic concerning protection of health in work with chemical agents**

Components	Type	Value	Form
Calcium carbonate (CAS 471-34-1)	TWA	10 mg/m <sup>3</sup>	
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m <sup>3</sup>	

**Slovenia. OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while working (Official Gazette of the Republic of Slovenia)**

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,15 mg/m <sup>3</sup>	Respirable fraction.

**Spain. Occupational Exposure Limits**

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m <sup>3</sup>	Respirable fraction.

**Sweden. Occupational Exposure Limit Values**

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m <sup>3</sup>	Respirable dust.

**Switzerland. SUVA Grenzwerte am Arbeitsplatz**

Components	Type	Value	Form
Calcium carbonate (CAS 471-34-1)	TWA	3 mg/m <sup>3</sup>	Respirable dust.
Quartz (CAS 14808-60-7)	TWA	0,15 mg/m <sup>3</sup>	Respirable dust.

**UK. EH40 Workplace Exposure Limits (WELs)**

Components	Type	Value	Form
Calcium carbonate (CAS 471-34-1)	TWA	4 mg/m <sup>3</sup>	Respirable.
		4 mg/m <sup>3</sup>	Respirable dust.
		10 mg/m <sup>3</sup>	Inhalable
		10 mg/m <sup>3</sup>	Inhalable dust.
Quartz (CAS 14808-60-7)	TWA	0,1 mg/m <sup>3</sup>	Respirable.

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Recommended monitoring procedures** Follow standard monitoring procedures.

**Derived no-effect level (DNEL)** Not available.

**Predicted no effect concentrations (PNECs)** Not available.

**8.2. Exposure controls**

**Appropriate engineering controls** No exposure to these materials is expected during normal use/handling of this product.

**Individual protection measures, such as personal protective equipment**

**General information** Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

**Eye/face protection** Risk of contact: Wear approved safety glasses or goggles.

**Skin protection**

**- Hand protection** Wear protective gloves.

<b>- Other</b>	Where skin contact is likely, wear chemical impervious gloves. In accordance with good industrial hygiene practices, precautions should be taken to avoid skin contact.
<b>Respiratory protection</b>	No protection is ordinarily required under normal conditions of use.
<b>Thermal hazards</b>	Wear appropriate thermal protective clothing, when necessary.
<b>Hygiene measures</b>	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.
<b>Environmental exposure controls</b>	Environmental manager must be informed of all major releases.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Pale yellow paste.
<b>Physical state</b>	Liquid. <b>Form</b> Paste.
<b>Colour</b>	Pale yellow.
<b>Odour</b>	Odourless.
<b>Odour threshold</b>	Not available.
<b>pH</b>	Not available.
<b>Melting point/freezing point</b>	Not applicable.
<b>Initial boiling point and boiling range</b>	260 °C (500 °F) (Approximate)
<b>Flash point</b>	> 204,0 °C (> 399,2 °F) Cleveland closed cup
<b>Evaporation rate</b>	< 1 (Butyl acetate = 1)
<b>Flammability (solid, gas)</b>	Not available.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Vapour pressure</b>	Negligible.
<b>Vapour density</b>	1 (Air = 1)
<b>Relative density</b>	1,28 (Approximate)
<b>Solubility(ies)</b>	Insoluble.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.
<b>Explosive properties</b>	Not available.
<b>Oxidizing properties</b>	Not available.
<b>9.2. Other information</b>	
<b>Density</b>	1,28 g/cm <sup>3</sup> (Approximate)
<b>Percent volatile</b>	< 1 %
<b>Solubility (other)</b>	Soluble in Toluene
<b>VOC (Weight %)</b>	< 7 g/l

## SECTION 10: Stability and reactivity

<b>10.1. Reactivity</b>	The product is non-reactive under normal conditions of use, storage and transport.
<b>10.2. Chemical stability</b>	Stable at normal conditions.
<b>10.3. Possibility of hazardous reactions</b>	Hazardous polymerisation does not occur.
<b>10.4. Conditions to avoid</b>	High temperatures. Contact with incompatible materials.
<b>10.5. Incompatible materials</b>	Strong oxidising agents. Strong acids. Strong bases.

## 10.6. Hazardous decomposition products

During combustion: Carbon oxides. Silicon oxides. Formaldehyde. Methylpolysiloxanes can generate formaldehyde at approximately 300 degrees Fahrenheit (150 °C) and above, in atmospheres which contains oxygen.

## SECTION 11: Toxicological information

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

### Information on likely routes of exposure

<b>Ingestion</b>	May cause discomfort if swallowed.
<b>Inhalation</b>	No adverse effects due to inhalation are expected.
<b>Skin contact</b>	Prolonged or repeated contact may dry skin and cause dermatitis.
<b>Eye contact</b>	May cause eye irritation.

**Symptoms** Symptoms include itching, burning, redness and tearing.

### 11.1. Information on toxicological effects

<b>Acute toxicity</b>	No data available.
<b>Skin corrosion/irritation</b>	Not classified.
<b>Serious eye damage/eye irritation</b>	May cause eye irritation.
<b>Respiratory sensitisation</b>	Not classified.
<b>Skin sensitisation</b>	Not a skin sensitiser.
<b>Germ cell mutagenicity</b>	Not available.
<b>Carcinogenicity</b>	Not relevant, due to the form of the product. Normal use of product does not generate silica or other dust. Crystalline silica poses a health hazard when it is inhaled as a dust.
<b>Reproductive toxicity</b>	Contains no ingredient listed as toxic to reproduction
<b>Specific target organ toxicity - single exposure</b>	Not classified.
<b>Specific target organ toxicity - repeated exposure</b>	Not classified.
<b>Aspiration hazard</b>	Not classified.
<b>Mixture versus substance information</b>	Not available.
<b>Other information</b>	This product has no known adverse effect on human health.

## SECTION 12: Ecological information

<b>12.1. Toxicity</b>	The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
<b>12.2. Persistence and degradability</b>	No data available.
<b>12.3. Bioaccumulative potential</b>	No data available.
<b>Partition coefficient n-octanol/water (log Kow)</b>	Not available.
<b>Bioconcentration factor (BCF)</b>	Not available.
<b>12.4. Mobility in soil</b>	No data available.
<b>Mobility in general</b>	The product is insoluble in water.
<b>12.5. Results of PBT and vPvB assessment</b>	Not a PBT or vPvB substance or mixture.
<b>12.6. Other adverse effects</b>	No data available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

<b>Residual waste</b>	Dispose of in accordance with local regulations.
<b>Contaminated packaging</b>	Since emptied containers may retain product residue, follow label warnings even after container is emptied.
<b>EU waste code</b>	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Disposal methods/information** Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Dispose of this material and its container to hazardous or special waste collection point. Do not allow runoff to sewer, waterway or ground.

## SECTION 14: Transport information

### ADR

Not regulated as dangerous goods.

### RID

Not regulated as dangerous goods.

### ADN

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** This substance/mixture is not intended to be transported in bulk.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

**Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I**

Not listed.

**Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II**

Not listed.

**Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended**

Not listed.

**Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended**

Not listed.

**Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended**

Not listed.

**Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended**

Not listed.

**Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended**

Not listed.

**Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry**

Not listed.

**Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA**

Not listed.

#### Authorisations

**Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended**

Not listed.

#### Restrictions on use

**Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended**

Not listed.

**Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work**

Not regulated.

**Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding**

Not regulated.

#### Other EU regulations

**Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances**

Not regulated.

**Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work**

Not listed.

**Directive 94/33/EC on the protection of young people at work**

Not listed.



<b>Other regulations</b>	The product does not need to be labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006 as amended.
<b>National regulations</b>	Follow national regulation for work with chemical agents.
<b>15.2. Chemical safety assessment</b>	No Chemical Safety Assessment has been carried out.

## SECTION 16: Other information

<b>List of abbreviations</b>	DNEL: Derived No-Effect Level. PNEC: Predicted No-Effect Concentration. PBT: Persistent, bioaccumulative and toxic. vPvB: Very Persistent and very Bioaccumulative. DSD: Directive 67/548/EEC. CLP: Regulation No. 1272/2008.
<b>References</b>	HSDB® - Hazardous Substances Data Bank Registry of Toxic Effects of Chemical Substances (RTECS)
<b>Information on evaluation method leading to the classification of mixture</b>	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
<b>Full text of any statements or R-phrases and H-statements under Sections 2 to 15</b>	R36 Irritating to eyes.  H319 Causes serious eye irritation.
<b>Training information</b>	Follow training instructions when handling this material.
<b>Disclaimer</b>	The information in the sheet was written based on the best knowledge and experience currently available.