

1. Product and Company Identification

Material name PRI-250FP Part A
Version # 00
Issue date 20-August-2013
Revision date 20-August-2013
Supersedes date -
Chemical description Silicone Elastomer
CAS # Mixture
Product Code 807-0025A
Product use Industrial Leak Sealant.
Manufacturer information
Manufacturer/Supplier Team Industrial Services, Inc.
Address 200 Hermann Drive, Alvin, Texas 77511, US
Emergency telephone number CHEMTREC - 24 HOURS
 USA: CHEMTREC: 800-424-9300
 International: 703-527-3887 (Collect)

2. Hazards Identification

Physical state Liquid.
Appearance Pale yellow paste.
Emergency overview WARNING
 Causes eye irritation.
OSHA regulatory status This product is considered hazardous under 29 CFR 1910.1200 (Hazard Communication).
Potential health effects
Routes of exposure Eye contact.
Eyes Causes eye irritation.
Skin Prolonged and/or repeated skin contact with this product may cause irritation/dermatitis.
Inhalation No adverse effects due to inhalation are expected.
Ingestion Health injuries are not known or expected under normal use. However, accidental ingestion of the content may cause discomfort.
Target organs Eyes.
Chronic effects Prolonged or repeated contact may dry skin and cause dermatitis.
Signs and symptoms Symptoms include itching, burning, redness and tearing.
Potential environmental effects The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

3. Composition / Information on Ingredients

Components	CAS #	Percent
Polyvinylsiloxane	68083-19-2	30-60
Quartz	14808-60-7	30-60
Polyalkylalkenylsiloxane	68584-83-8	10-30
Calcium carbonate	471-34-1	1-5

Composition comments All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First Aid Measures

First aid procedures

Eye contact	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.
Skin contact	Wash area with soap and water. Get medical attention if irritation develops or persists.
Inhalation	No specific first aid measures noted.
Ingestion	Rinse mouth and drink plenty of water. Only induce vomiting at the instruction of medical personnel. Get medical attention if any discomfort occurs.

Notes to physician

Treat symptomatically.

General advice

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire Fighting Measures

Flammable properties

This product is not flammable. Will burn if involved in a fire.

Extinguishing media

Suitable extinguishing media	Water spray, foam, dry powder or carbon dioxide.
Unsuitable extinguishing media	No restrictions known.

Protection of firefighters

Specific hazards arising from the chemical During fire, gases hazardous to health may be formed.

Protective equipment and precautions for firefighters Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials. Cool material exposed to heat with water spray and remove it if no risk is involved.

Hazardous combustion products

None known.

6. Accidental Release Measures

Personal precautions

Avoid contact with skin and eyes. See Section 8 of the MSDS for Personal Protective Equipment.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

Methods for containment

Prevent entry into waterways, sewer, basements or confined areas.

Methods for cleaning up

Collect and dispose of spillage as indicated in Section 13 of the MSDS.

Other information

Clean up in accordance with all applicable regulations.

7. Handling and Storage

Handling

Provide adequate ventilation. Avoid contact with skin and eyes. Observe good industrial hygiene practices.

Storage

Store in closed original container in a dry place. Store away from incompatible materials.

8. Exposure Controls / Personal Protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0.025 mg/m ³	Respirable fraction.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
Calcium carbonate (CAS 471-34-1)	PEL	5 mg/m ³	Respirable fraction.
		15 mg/m ³	Total dust.

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0.3 mg/m3 0.1 mg/m3 2.4 millions of particle	Total dust. Respirable. Respirable.

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Type	Value	Form
Calcium carbonate (CAS 471-34-1)	TWA	10 mg/m3	
Quartz (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable particles.

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Type	Value	Form
Calcium carbonate (CAS 471-34-1)	STEL	20 mg/m3	Total dust.
	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Total dust.
Quartz (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable.

Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

Components	Type	Value	Form
Calcium carbonate (CAS 471-34-1)	TWA	10 mg/m3	Total dust.
Quartz (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable dust.

Mexico. Occupational Exposure Limit Values

Components	Type	Value
Calcium carbonate (CAS 471-34-1)	STEL	20 mg/m3
	TWA	10 mg/m3
Quartz (CAS 14808-60-7)	TWA	0.1 mg/m3

Engineering controls No exposure to these materials is expected during normal use/handling of this product.

Personal protective equipment

Eye / face protection Wear approved safety glasses or goggles.

Skin protection Where skin contact is likely, wear chemical impervious gloves. In accordance with good industrial hygiene practices, precautions should be taken to avoid skin contact.

Respiratory protection No protection is ordinarily required under normal conditions of use.

General hygiene considerations Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical & Chemical Properties

Appearance Pale yellow paste.

Physical state Liquid.

Form Paste.

Color Pale yellow.

Odor Odorless.

Odor threshold Not available.

pH Not available.

Vapor pressure Negligible.

Vapor density	1 (Air = 1)
Boiling point	500 °F (260 °C) (Approximate)
Melting point/Freezing point	Not Applicable.
Solubility (water)	Insoluble.
Specific gravity	1.28 (Approximate)
Flash point	> 399.2 °F (> 204.0 °C) Cleveland Closed Cup
Flammability limits in air, upper, % by volume	Not available.
Flammability limits in air, lower, % by volume	Not available.
Auto-ignition temperature	Not available.
VOC	< 7 g/l
Evaporation rate	< 1 (Butyl acetate = 1)
Percent volatile	< 1 %
Other data	
Density	1.28 g/cm ³ (Approximate)
Solubility (other)	Soluble in Toluene

10. Chemical Stability & Reactivity Information

Chemical stability	Stable at normal conditions.
Conditions to avoid	High temperatures. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents. Strong acids. Strong bases.
Hazardous decomposition products	During combustion: Carbon oxides. Silicon oxides. Formaldehyde. Methylpolysiloxanes can generate formaldehyde at approximately 300 degrees Fahrenheit (150 °C) and above, in atmospheres which contains oxygen.
Possibility of hazardous reactions	Hazardous polymerization does not occur.

11. Toxicological Information

Sensitization	Not a skin sensitizer.
Local effects	Causes eye irritation.
Chronic effects	Prolonged or repeated contact may dry skin and cause dermatitis.
Carcinogenicity	Not relevant, due to the form of the product. Normal use of product does not generate silica or other dust. Crystalline silica poses a health hazard when it is inhaled as a dust.

ACGIH Carcinogens

Quartz (CAS 14808-60-7) A2 Suspected human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

Quartz (CAS 14808-60-7) 1 Carcinogenic to humans.

US NTP Report on Carcinogens: Known carcinogen

Quartz (CAS 14808-60-7) Known To Be Human Carcinogen.

Epidemiology	Not available.
Mutagenicity	Not available.
Neurological effects	Not available.
Reproductive effects	Not available.
Teratogenicity	Not available.
Symptoms and target organs	Symptoms include itching, burning, redness and tearing.
Further information	This product has no known adverse effect on human health.

12. Ecological Information

Ecotoxicity	The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
--------------------	--

Environmental effects	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Persistence and degradability	No data available.
Bioaccumulation / Accumulation	No data available.
Mobility in environmental media	The product is insoluble in water.

13. Disposal Considerations

Waste codes	Not regulated.
Disposal instructions	Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Dispose of this material and its container at hazardous or special waste collection point. Do not allow runoff to sewer, waterway or ground.
Waste from residues / unused products	Dispose of in accordance with local regulations.
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport Information

DOT

Not regulated as a hazardous material by DOT.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

TDG

Not regulated as dangerous goods.

15. Regulatory Information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

CERCLA (Superfund) reportable quantity (lbs) (40 CFR 302.4)

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes
 Delayed Hazard - No
 Fire Hazard - No
 Pressure Hazard - No
 Reactivity Hazard - No

Section 302 extremely hazardous substance (40 CFR 355, Appendix A)

No

SARA 311/312 Hazardous chemical

Yes

Drug Enforcement Administration (DEA) (21 CFR 1308.11-15)

Not controlled

Canadian regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

WHMIS status

Controlled

WHMIS classification

D2B - Other Toxic Effects-TOXIC

WHMIS labeling



Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

State regulations

WARNING: This product contains chemicals known to the State of California to cause cancer.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Quartz (CAS 14808-60-7) Listed.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Quartz (CAS 14808-60-7) Listed: October 1, 1988 Carcinogenic.

US - New Jersey RTK - Substances: Listed substance

Calcium carbonate (CAS 471-34-1) Listed.

Quartz (CAS 14808-60-7) Listed.

US. Massachusetts RTK - Substance List

Calcium carbonate (CAS 471-34-1) Listed.

Quartz (CAS 14808-60-7) Listed.

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. Pennsylvania RTK - Hazardous Substances

Calcium carbonate (CAS 471-34-1) Listed.

Quartz (CAS 14808-60-7) Listed.

16. Other Information

Further information

HMIS® is a registered trade and service mark of the NPCA.

B - Safety Glasses, Gloves

HMIS® ratings


Health: 2*

Flammability: 1

Physical hazard: 0

Personal protection: B

NFPA Ratings



Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available.