

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

VALVE PACK 8

of the mixture

Registration number -

Synonyms None.

Product code 901-0016

Issue date 17-October-2012

Version number 00

Revision date 17-October-2012

Supersedes date -

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Industrial Leak Sealant

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Supplier

Company name Team Industrial Services, Inc.

Address Postbus 37 4380 AA Vlissingen 3237

The Netherlands

Telephone +31 (0) 118 48 58 00

Fax +31 (0) 118 48 58 86

e-mail Not available.

Contact person Not available.

1.4. Emergency telephone +1 703-527-3887

number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Directive 67/548/EEC or 1999/45/EC as amended

This preparation does not meet the criteria for classification according to Directive 1999/45/EC as amended.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Hazard summary

Physical hazards Not classified for physical hazards.

Health hazards Not classified for health hazards. However, occupational exposure to the mixture or substance(s)

may cause adverse health effects.

Environmental hazards Not classified for hazards to the environment.

Specific hazards Frequent inhalation of dust over a long period of time increases the risk of developing lung

diseases.

Main symptoms Direct contact with eyes may cause temporary irritation.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.
Signal word None.

Hazard statements The mixture does not meet the criteria for classification.

Precautionary statements

Prevention Observe good industrial hygiene practices.

Response Wash thoroughly after handling.

Storage Store away from incompatible materials.

VALVE PACK 8

Version No.: 00 1 / 10

Disposal Dispose of waste and residues in accordance with local authority requirements.

Supplemental label information Not applicable.

2.3. Other hazards Not a PBT or vPvB substance or mixture.

SECTION 3: Composition/information on ingredients

CLP:

3.2. Mixtures

General information

Chemical name		%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
Molybdenum disulphide	;	25-50	1317-33-5 215-263-9	-	-	
Classification:	DSD: -					
	CLP: -					
Carbon fiber		5-10	7782-42-5 231-955-3	-	-	
Classification:	DSD: -					

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Remove victim to fresh air. Get medical attention if symptoms persist.

Skin contact Wash area with soap and water. Get medical attention if irritation develops or persists.

Eye contact Flush thoroughly with water. If irritation occurs, get medical assistance.

Ingestion Rinse mouth and drink plenty of water. Only induce vomiting at the instruction of medical

personnel. Get medical attention if any discomfort occurs.

4.2. Most important symptoms and effects, both acute and

delayed

Direct contact with eyes may cause temporary irritation.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards The product is not flammable.

5.1. Extinguishing media

Suitable extinguishing

media

Water spray, foam, dry powder or carbon dioxide.

Unsuitable extinguishing

media

No restrictions known.

5.2. Special hazards arising

from the substance or mixture

During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in

case of fire.

Special fire fighting

procedures

Use standard firefighting procedures and consider the hazards of other involved materials. Cool material exposed to heat with water spray and remove it if no risk is involved.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Avoid prolonged and repeated contact. See Section 8 for personal protective equipment.

6.2. Environmental precautions Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Collect and dispose of spillage as indicated in section 13.

6.4. Reference to other

sections

For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Provide adequate ventilation. Avoid prolonged and repeated contact. Observe good industrial hygiene practices.

7.2. Conditions for safe

storage, including any incompatibilities

Store in closed original container in a dry place.

7.3. Specific end use(s) Industrial Leak Sealant

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List

(CAS 1317-33-5)

Components	Туре	Value	Form
Carbon fiber (CAS 7782-42-5)	MAK	5 mg/m3	Respirable dust.
	STEL	10 mg/m3	Respirable dust.
Molybdenum disulphide (CAS 1317-33-5)	MAK	10 mg/m3	Inhalable fraction.
	STEL	20 mg/m3	Inhalable fraction.
Belgium. Exposure Limit Values.			
Components	Туре	Value	Form
Carbon fiber (CAS 7782-42-5)	TWA	2 mg/m3	Respirable fraction.
Molybdenum disulphide	TWA	10 mg/m3	

Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work

Туре	Value	Form
TWA	5 mg/m3	Inhalable fraction.
TWA	10 mg/m3	
	TWA	TWA 5 mg/m3

Cyprus. OELs. Control of factory atmosphere and dangerous substances in factories regulation, PI 311/73, as amended.

Components	Туре	Value	
Carbon fiber (CAS	TWA	10 mg/m3	
7782-42-5)			

Czech Republic. OELs. Government Decree 361

Components	Туре	Value	Form
Carbon fiber (CAS 7782-42-5)	TWA	10 mg/m3	Respirable dust.
		10 mg/m3	Total dust.
Molybdenum disulphide (CAS 1317-33-5)	Ceiling	25 mg/m3	
(= = = = = = = = = = = = = = = = = = =	TWA	5 mg/m3	
Denmark Exposure Limit Values			

Denmark. Exposure Limit Values

Components	Туре	Value	Form
Carbon fiber (CAS 7782-42-5)	TLV	2,5 mg/m3	Respirable.
Molybdenum disulphide (CAS 1317-33-5)	TLV	10 mg/m3	

VALVE PACK 8

3 / 10 Version No.: 00

Estonia. OELs. Occupational Exposure Limits of Hazardous Substances. (Annex of Regulation No. 293 of 18 September 2001)

omponents	Туре	Value	Form
arbon fiber (CAS 782-42-5)	TWA	5 mg/m3	Dust.
olybdenum disulphide CAS 1317-33-5)	TWA	5 mg/m3	
,		5 mg/m3 10 mg/m3	Respirable dust. Total dust.
inland. Workplace Exposure Lir	nits	, and the second	
omponents	Туре	Value	
arbon fiber (CAS 782-42-5)	TWA	2 mg/m3	
lolybdenum disulphide CAS 1317-33-5)	TWA	0,5 mg/m3	
rance. Threshold Limit Values (VLEP) for Occupational Expos	ure to Chemicals in France, II	NRS ED 984
omponents	Туре	Value	Form
arbon fiber (CAS	VME	2 mg/m3	Respirable fraction.
782-42-5) lolybdenum disulphide CAS 1317-33-5)	VLE	10 mg/m3	
,	VME	5 mg/m3	
ermany. DFG MAK List (advisor the Work Area (DFG)	ry OELs). Commission for the	Investigation of Health Hazard	ds of Chemical Compoun
omponents	Туре	Value	Form
arbon fiber (CAS	TWA	4 mg/m3	Inhalable fraction.
782-42-5)		1,5 mg/m3	Respirable fraction.
ermany. TRGS 900, Limit Value	s in the Ambient Air at the Wo	_	rtoophable flaction.
	_		Farm
omponents	Туре	Value	Form
arbon fiber (CAS	AGW	Value 3 mg/m3	Respirable fraction.
<u> </u>	<u> </u>		
arbon fiber (CAS	AGW	3 mg/m3	Respirable fraction.
arbon fiber (CAS 782-42-5)	AGW	3 mg/m3	Respirable fraction.
rarbon fiber (CAS 782-42-5) reece. OELs (Decree No. 90/199 components rarbon fiber (CAS	AGW 99, as amended)	3 mg/m3 10 mg/m3	Respirable fraction. Inhalable fraction.
earbon fiber (CAS 782-42-5) Greece. OELs (Decree No. 90/199 Components	AGW 99, as amended) Type	3 mg/m3 10 mg/m3 Value	Respirable fraction. Inhalable fraction. Form
carbon fiber (CAS 782-42-5) Greece. OELs (Decree No. 90/199 components Farbon fiber (CAS 782-42-5) Holybdenum disulphide	AGW 99, as amended) Type	3 mg/m3 10 mg/m3 Value 5 mg/m3	Respirable fraction. Inhalable fraction. Form Respirable.
carbon fiber (CAS 782-42-5) Greece. OELs (Decree No. 90/199 components Farbon fiber (CAS 782-42-5)	AGW P9, as amended) Type TWA TWA	3 mg/m3 10 mg/m3 Value 5 mg/m3 10 mg/m3 15 mg/m3	Respirable fraction. Inhalable fraction. Form Respirable.
arbon fiber (CAS 782-42-5) Freece. OELs (Decree No. 90/198 2000) Freece No. 90/198 2000 Freece No.	AGW P9, as amended) Type TWA TWA	3 mg/m3 10 mg/m3 Value 5 mg/m3 10 mg/m3 15 mg/m3	Respirable fraction. Inhalable fraction. Form Respirable.
arbon fiber (CAS 782-42-5) ireece. OELs (Decree No. 90/199 imponents arbon fiber (CAS 782-42-5) lolybdenum disulphide CAS 1317-33-5) lungary. OELs. Joint Decree on imponents lolybdenum disulphide	AGW P9, as amended) Type TWA TWA Chemical Safety of Workplace	3 mg/m3 10 mg/m3 Value 5 mg/m3 10 mg/m3 15 mg/m3	Respirable fraction. Inhalable fraction. Form Respirable.
arbon fiber (CAS 782-42-5) ireece. OELs (Decree No. 90/199 iomponents arbon fiber (CAS 782-42-5) lolybdenum disulphide CAS 1317-33-5) lungary. OELs. Joint Decree on	AGW P9, as amended) Type TWA TWA Chemical Safety of Workplace Type STEL	3 mg/m3 10 mg/m3 Value 5 mg/m3 10 mg/m3 15 mg/m3 s Value 60 mg/m3	Respirable fraction. Inhalable fraction. Form Respirable.
arbon fiber (CAS 782-42-5) ireece. OELs (Decree No. 90/199 imponents arbon fiber (CAS 782-42-5) lolybdenum disulphide CAS 1317-33-5) lungary. OELs. Joint Decree on imponents lolybdenum disulphide	AGW P9, as amended) Type TWA TWA Chemical Safety of Workplace Type STEL TWA	3 mg/m3 10 mg/m3 Value 5 mg/m3 10 mg/m3 15 mg/m3 s Value 60 mg/m3 15 mg/m3	Respirable fraction. Inhalable fraction. Form Respirable.
carbon fiber (CAS 782-42-5) Greece. OELs (Decree No. 90/198 components Carbon fiber (CAS 782-42-5) Collolybdenum disulphide CAS 1317-33-5) Components Components Components Collolybdenum disulphide CAS 1317-33-5)	AGW P9, as amended) Type TWA TWA Chemical Safety of Workplace Type STEL TWA	3 mg/m3 10 mg/m3 Value 5 mg/m3 10 mg/m3 15 mg/m3 s Value 60 mg/m3 15 mg/m3	Respirable fraction. Inhalable fraction. Form Respirable.
arbon fiber (CAS 782-42-5) Freece. OELs (Decree No. 90/199 Freece. OELs (CAS 782-42-5) Freece. OELs (CAS 782-42-5) Freece. OELs (CAS 782-42-5) Freece. OELs (Decree No. 90/199 Freece. OELs (CAS Freece. OELs (Decree No. 90/199 Freece. OELs (CAS Freece. OELs (Decree No. 90/199 Freece.	AGW P9, as amended) Type TWA TWA Chemical Safety of Workplace Type STEL TWA TWA P99 on occupational exposure in the state of	3 mg/m3 10 mg/m3 Value 5 mg/m3 10 mg/m3 15 mg/m3 s Value 60 mg/m3 15 mg/m3	Respirable fraction. Inhalable fraction. Form Respirable. Inhalable
arbon fiber (CAS 782-42-5) Freece. OELs (Decree No. 90/198 Fr	AGW P9, as amended) Type TWA TWA Chemical Safety of Workplace Type STEL TWA P99 on occupational exposure I	3 mg/m3 10 mg/m3 Value 5 mg/m3 10 mg/m3 15 mg/m3 s Value 60 mg/m3 15 mg/m3 limits Value 5 mg/m3	Respirable fraction. Inhalable fraction. Form Respirable. Inhalable Form Total dust.
arbon fiber (CAS 782-42-5) Freece. OELs (Decree No. 90/199 Freece. OELs (CAS 782-42-5) Freece. OELs (CAS 782-42-5) Freece. OELs (CAS 782-42-5) Freece. OELs (Decree No. 90/199 Freece. OELs (CAS Freece. OELs (Decree No. 90/199 Freece. OELs (CAS Freece. OELs (Decree No. 90/199 Freece.	AGW P9, as amended) Type TWA TWA Chemical Safety of Workplace Type STEL TWA P99 on occupational exposure I	3 mg/m3 10 mg/m3 Value 5 mg/m3 10 mg/m3 15 mg/m3 s Value 60 mg/m3 15 mg/m3 Itimits Value	Respirable fraction. Inhalable fraction. Form Respirable. Inhalable
arbon fiber (CAS 782-42-5) ireece. OELs (Decree No. 90/199 imponents arbon fiber (CAS 782-42-5) follybdenum disulphide CAS 1317-33-5) fungary. OELs. Joint Decree on fomponents follybdenum disulphide CAS 1317-33-5) celand. OELs. Regulation 154/19 fomponents farbon fiber (CAS 782-42-5) follybdenum disulphide followed imponents formponents	AGW Type TWA TWA Chemical Safety of Workplace Type STEL TWA TWA P99 on occupational exposure I Type TWA TWA	3 mg/m3 10 mg/m3 Value 5 mg/m3 10 mg/m3 15 mg/m3 s Value 60 mg/m3 15 mg/m3 Ualue 5 mg/m3 2,5 mg/m3	Respirable fraction. Inhalable fraction. Form Respirable. Inhalable Form Total dust.
arbon fiber (CAS 782-42-5) Freece. OELs (Decree No. 90/198 Components Farbon fiber (CAS 782-42-5) Foliation of the components Fol	AGW Type TWA TWA Chemical Safety of Workplace Type STEL TWA TWA P99 on occupational exposure I Type TWA TWA	3 mg/m3 10 mg/m3 Value 5 mg/m3 10 mg/m3 15 mg/m3 s Value 60 mg/m3 15 mg/m3 Ualue 5 mg/m3 2,5 mg/m3	Respirable fraction. Inhalable fraction. Form Respirable. Inhalable Form Total dust.
arbon fiber (CAS 782-42-5) Freece. OELs (Decree No. 90/198 Components Farbon fiber (CAS 782-42-5) Foliation of the CAS Foliation of t	AGW P9, as amended) Type TWA TWA Chemical Safety of Workplace Type STEL TWA P99 on occupational exposure II Type TWA TWA TWA TWA TWA	3 mg/m3 10 mg/m3 Value 5 mg/m3 10 mg/m3 15 mg/m3 s Value 60 mg/m3 15 mg/m3 15 mg/m3 2,5 mg/m3 10 mg/m3	Respirable fraction. Inhalable fraction. Form Respirable. Inhalable Form Total dust. Respirable dust.

VALVE PACK 8 Version No.: 00

Ireland. Occupational Exposure Limits

Components	Туре	Value	Form
Molybdenum disulphide CAS 1317-33-5)	TWA	3 mg/m3	Respirable fraction.
,		10 mg/m3	Inhalable fraction.
taly Components	Туре	Value	Form
Molybdenum disulphide	TWA	Value 10 mg/m3	Inhalable fraction.
(CAS 1317-33-5) taly. OELs	IWA	10 mg/ms	ilinalable fraction.
Components	Туре	Value	Form
Carbon fiber (CAS 7782-42-5)	TWA	2 mg/m3	Respirable fraction.
Molybdenum disulphide CAS 1317-33-5)	TWA	3 mg/m3	Respirable fraction.
_atvia. OELs. Occupational expo	osure limit values of chemical s	ubstances in work environme	ent
Components	Туре	Value	Form
Carbon fiber (CAS 7782-42-5)	TWA	2 mg/m3	Dust.
•	or Chemical Substances, Genera	al Requirements (Hygiene No	orm HN 23:2007)
Components	Туре	Value	Form
Carbon fiber (CAS 7782-42-5)	TWA	3 mg/m3	Dust.
Molybdenum disulphide (CAS 1317-33-5)	TWA	5 mg/m3	Respirable fraction.
(CAS 1317-33-5)		10 mg/m3	Inhalable fraction.
Norway. Administrative Norms f	or Contaminants in the Workpla	ice	
Components	Туре	Value	Form
Carbon fiber (CAS 7782-42-5)	TLV	2 mg/m3	Respirable dust.
Molybdenum disulphide (CAS 1317-33-5)	TLV	10 mg/m3 10 mg/m3	Total dust.
Poland. MACs. Minister of Labo	ur and Social Policy Pegarding	Maximum Allowable Concen	trations and Intensities in
Working Environment	ur and Social Folicy Regarding		
3	ur and Social Policy Regarding		
Components	Туре	Value	Form
Components Carbon fiber (CAS		Value 4 mg/m3	Form Total dust.
Components Carbon fiber (CAS 7782-42-5)	Type TWA	4 mg/m3 1 mg/m3	
Components Carbon fiber (CAS 7782-42-5) Molybdenum disulphide	Type TWA STEL	4 mg/m3 1 mg/m3 10 mg/m3	Total dust.
Components Carbon fiber (CAS 7782-42-5) Molybdenum disulphide (CAS 1317-33-5)	Type TWA	4 mg/m3 1 mg/m3	Total dust.
Components Carbon fiber (CAS 7782-42-5) Molybdenum disulphide (CAS 1317-33-5) Portugal	Type TWA STEL TWA	4 mg/m3 1 mg/m3 10 mg/m3	Total dust. Respirable dust.
Components Carbon fiber (CAS 7782-42-5) Molybdenum disulphide (CAS 1317-33-5) Portugal Components	Type TWA STEL TWA Type	4 mg/m3 1 mg/m3 10 mg/m3 4 mg/m3 Value	Total dust. Respirable dust. Form
Components Carbon fiber (CAS 7782-42-5) Molybdenum disulphide (CAS 1317-33-5) Portugal Components Molybdenum disulphide	Type TWA STEL TWA	4 mg/m3 1 mg/m3 10 mg/m3 4 mg/m3	Total dust. Respirable dust.
Components Carbon fiber (CAS 7782-42-5) Molybdenum disulphide (CAS 1317-33-5) Portugal Components Molybdenum disulphide (CAS 1317-33-5)	Type TWA STEL TWA Type TWA	4 mg/m3 1 mg/m3 10 mg/m3 4 mg/m3 Value 3 mg/m3	Total dust. Respirable dust. Form
Components Carbon fiber (CAS 7782-42-5) Molybdenum disulphide (CAS 1317-33-5) Portugal Components Molybdenum disulphide (CAS 1317-33-5) Portugal. VLEs. Norm on occupation	Type TWA STEL TWA Type TWA	4 mg/m3 1 mg/m3 10 mg/m3 4 mg/m3 Value 3 mg/m3	Total dust. Respirable dust. Form
Components Carbon fiber (CAS 7782-42-5) Molybdenum disulphide (CAS 1317-33-5) Portugal Components Molybdenum disulphide (CAS 1317-33-5) Portugal. VLEs. Norm on occupations Components Carbon fiber (CAS	Type TWA STEL TWA Type TWA ational exposure to chemical ag	4 mg/m3 1 mg/m3 10 mg/m3 4 mg/m3 4 mg/m3 Value 3 mg/m3 ents (NP 1796)	Total dust. Respirable dust. Form Respirable fraction.
Components Carbon fiber (CAS 7782-42-5) Molybdenum disulphide (CAS 1317-33-5) Portugal Components Molybdenum disulphide (CAS 1317-33-5) Portugal. VLEs. Norm on occupation of the components Carbon fiber (CAS 7782-42-5) Molybdenum disulphide	Type TWA STEL TWA Type TWA ational exposure to chemical ag	4 mg/m3 1 mg/m3 10 mg/m3 4 mg/m3 Value 3 mg/m3 ents (NP 1796) Value	Total dust. Respirable dust. Form Respirable fraction.
Components Carbon fiber (CAS 7782-42-5) Molybdenum disulphide (CAS 1317-33-5) Portugal Components Molybdenum disulphide (CAS 1317-33-5) Portugal. VLEs. Norm on occupation Components Carbon fiber (CAS 7782-42-5) Molybdenum disulphide (CAS 1317-33-5) Romania. OELs. Protection of w	Type TWA STEL TWA Type TWA ational exposure to chemical ag Type TWA TWA TWA	4 mg/m3 1 mg/m3 10 mg/m3 4 mg/m3 4 mg/m3 Value 3 mg/m3 ents (NP 1796) Value 2 mg/m3 10 mg/m3	Total dust. Respirable dust. Form Respirable fraction. Form Respirable fraction.
Components Carbon fiber (CAS 7782-42-5) Molybdenum disulphide (CAS 1317-33-5) Portugal Components Molybdenum disulphide (CAS 1317-33-5) Portugal. VLEs. Norm on occupation of well and the components Carbon fiber (CAS 7782-42-5) Molybdenum disulphide (CAS 1317-33-5) Romania. OELs. Protection of well and the components	Type TWA STEL TWA Type TWA ational exposure to chemical ag Type TWA TWA TWA	4 mg/m3 1 mg/m3 10 mg/m3 4 mg/m3 4 mg/m3 Value 3 mg/m3 ents (NP 1796) Value 2 mg/m3 10 mg/m3	Total dust. Respirable dust. Form Respirable fraction. Form Respirable fraction.
Components Carbon fiber (CAS 7782-42-5) Molybdenum disulphide (CAS 1317-33-5) Portugal Components Molybdenum disulphide (CAS 1317-33-5) Portugal. VLEs. Norm on occupation of the components Carbon fiber (CAS 7782-42-5) Molybdenum disulphide (CAS 1317-33-5)	Type TWA STEL TWA Type TWA ational exposure to chemical ag Type TWA TWA TWA TWA TWA	4 mg/m3 1 mg/m3 10 mg/m3 4 mg/m3 4 mg/m3 Value 3 mg/m3 ents (NP 1796) Value 2 mg/m3 10 mg/m3 cal agents at the workplace	Total dust. Respirable dust. Form Respirable fraction. Form Respirable fraction.

VALVE PACK 8 Version No.: 00

Slovakia. OELs. Decree of the government of the Slovak Republic concerning protection of health in work with chemical agents

Components	Туре	Value	Form
Carbon fiber (CAS 7782-42-5)	TWA	2 mg/m3	Respirable fraction.
		10 mg/m3	Total
Molybdenum disulphide (CAS 1317-33-5)	TWA	15 mg/m3	

Slovenia. OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while working (Official Gazette of the Republic of Slovenia)

Components	Туре	Value	Form
Molybdenum disulphide	TWA	5 mg/m3	Inhalable fraction.
(CAS 1317-33-5)		_	

Spain

Components	Туре	Value	Form	
Carbon fiber (CAS 7782-42-5)	TWA (VLA-ED)	2 mg/m3	Dust.	
Molybdenum disulphide (CAS 1317-33-5)	TWA (VLA-ED)	10 mg/m3		

Sweden. Occupational Exposure Limit Values

Components	Туре	Value	Form
Carbon fiber (CAS 7782-42-5)	TWA	5 mg/m3	Total dust.
Molybdenum disulphide (CAS 1317-33-5)	TWA	5 mg/m3	Respirable dust.
,		10 mg/m3	Total dust.

Switzerland. SUVA Grenzwerte am Arbeitsplatz

Components	Туре	Value	Form
Carbon fiber (CAS 7782-42-5)	TWA	5 mg/m3	Inhalable dust.
		2,5 mg/m3	Respirable dust.
Molybdenum disulphide (CAS 1317-33-5)	TWA	10 mg/m3	Inhalable dust.
United Kingdom			

Components	Туре	Value	Form
Carbon fiber (CAS 7782-42-5)	TWA	4 mg/m3	Respirable dust.
,		10 mg/m3	Inhalable dust.
Molybdenum disulphide (CAS 1317-33-5)	STEL	20 mg/m3	
	TWA	10 mg/m3	

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures

Follow standard monitoring procedures.

Derived no-effect level (DNEL)

Components	Туре	Route	Value	Form
Carbon fiber (CAS 7782-42-5)	Workers	Inhalation	1,2 mg/m3	Long term exposure local

Predicted no effect concentrations (PNECs)

Not available.

8.2. Exposure controls

Appropriate engineering Provide adequate ventilation. Observe occupational exposure limits and minimise the risk of inhalation of dust.

Individual protection measures, such as personal protective equipment

General information Personal protective equipment should be chosen according to the CEN standards and in

discussion with the supplier of the personal protective equipment.

Eye/face protection Risk of contact: Wear approved safety glasses or goggles.

Skin protection

- Hand protection Wear protective gloves.

- Other Where skin contact is likely, wear chemical impervious gloves. In accordance with good industrial

hygiene practices, precautions should be taken to avoid skin contact.

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Environmental exposure

controls

Environmental manager must be informed of all major releases.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Black fibrous semi-solid.

Physical state Liquid.

Form Fibrous semi-solid.

Colour Black.

Odour Not available.

Odour threshold Not available.

PH Not applicable.

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point 140,6 °C (285 °F)
Evaporation rate Not applicable.
Flammability (solid, gas) Not applicable.
Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Vapour pressureNot applicable.Vapour densityNot applicable.Relative densityNot available.

Solubility(ies) Slightly soluble in water.

Partition coefficient No data available.

(n-octanol/water)

Decomposition temperatureNot available.ViscosityNot applicable.Explosive propertiesNot available.Oxidizing propertiesNot available.

9.2. Other information No relevant additional information available.

SECTION 10: Stability and reactivity

10.1. Reactivity The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

Will not occur.

10.4. Conditions to avoid Exposure to flame or temperatures above 750° F (398.9 C°).

10.5. Incompatible materials None known.10.6. Hazardous None known.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Ingestion May cause discomfort if swallowed.

Inhalation Dust may irritate throat and respiratory system and cause coughing.

Skin contact Prolonged skin contact may cause irritation.

Eye contact Direct contact with eyes may cause temporary irritation. **Symptoms** Direct contact with eyes may cause temporary irritation.

11.1. Information on toxicological effects

Acute toxicity May cause discomfort if swallowed.

Skin corrosion/irritation Not available. Serious eye damage/irritation Not available. Not available. Respiratory sensitisation Skin sensitisation Not available. Germ cell mutagenicity Not available. Not classified. Carcinogenicity Reproductive toxicity Not available. Not available.

Specific target organ toxicity -

single exposure

Specific target organ toxicity -

repeated exposure

Not available.

Not available. **Aspiration hazard** Mixture versus substance

information

Not available.

Other information Not available.

SECTION 12: Ecological information

The product is not expected to be hazardous to the environment. 12.1. Toxicity

12.2. Persistence and

degradability

No data available.

12.3. Bioaccumulative potential No data available. **Partition coefficient** No data available.

n-octanol/water (log Kow)

Not available. **Bioconcentration factor (BCF)** 12.4. Mobility in soil No data available. Mobility in general No data available.

Not a PBT or vPvB substance or mixture. 12.5. Results of PBT

and vPvR assessment

12.6. Other adverse effects The product is not expected to be hazardous to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations.

Contaminated packaging Dispose product packaging in accordance with local authority requirements taking into account

characteristics of the packaging material.

FU waste code 08 04 10

Disposal methods/information Disposal recommendations are based on material as supplied. Disposal must be in accordance

with current applicable laws and regulations, and material characteristics at time of disposal.

Recover and reclaim or recycle, if practical.

SECTION 14: Transport information

ADR

The product is not covered by international regulation on the transport of dangerous goods.

RID

The product is not covered by international regulation on the transport of dangerous goods.

ADN

The product is not covered by international regulation on the transport of dangerous goods.

VALVE PACK 8

Version No.: 00 8/10

IATA

The product is not covered by international regulation on the transport of dangerous goods.

IMDG

The product is not covered by international regulation on the transport of dangerous goods.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC

This substance/mixture is not intended to be transported in bulk.

Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorisation

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding

Not regulated.

Other EU regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances

Not regulated.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Directive 94/33/EC on the protection of young people at work

Not listed.

Other regulations The product does not need to be labelled in accordance with EC directives or respective national

laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006 as

amended.

National regulations 15.2. Chemical safety Follow national regulation for work with chemical agents. No Chemical Safety Assessment has been carried out.

assessment

Version No.: 00

SECTION 16: Other information

DNEL: Derived No-Effect Level. List of abbreviations

PNEC: Predicted No-Effect Concentration. PBT: Persistent, bioaccumulative and toxic. vPvB: Very Persistent and very Bioaccumulative. DSD:

Directive 67/548/EEC.

CLP: Regulation No. 1272/2008.

References

Not available.

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any statements or R-phrases and H-statements under Sections 2 to 15

None.

Training information

Follow training instructions when handling this material.

Disclaimer

The information in the sheet was written based on the best knowledge and experience currently

available.

Version No.: 00 10 / 10