

1. Identification

Product identifier B-220 CAT PRP SEALANT

Other means of identification

Product code 903-0018

Recommended use Industrial Leak Sealant Industrial Leak Sealant.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Team Industrial Services, Inc. Company name

200 Hermann Drive, Alvin, Texas 77511 **Address**

Telephone Not available. E-mail Not available.

Emergency phone number CHEMTREC - 24 HOURS: 800-424-9300 (USA)

+1 703-527-3887 (Collect) International:

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

> Serious eye damage/eye irritation Category 2A Sensitization, skin Category 1

Environmental hazards Hazardous to the aquatic environment, acute Category 2

hazard

Hazardous to the aquatic environment, Category 2

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Toxic to

aquatic life with long lasting effects.

Precautionary statement

Prevention Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face

protection. Contaminated work clothing should not be allowed out of the workplace. Avoid

breathing mist or vapor. Avoid release to the environment.

If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Response

Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take

off contaminated clothing and wash before reuse.

Store away from incompatible materials. Storage

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information

Contains epoxy constituents. May produce an allergic reaction.

B-220 CAT PRP SEALANT SDS US

Version #: 01 Revision date: -Issue date: 17-February-2015

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Bisphenol A/ epichlorohydrin epoxy resin	25068-38-6	70-100

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation In case of discomfort, move to fresh air. Get medical attention, if needed.

Remove contaminated clothing. Wash immediately with soap and water for at least 15 minutes. Skin contact

Get medical attention promptly if symptoms persist or occur after washing. Discard contaminated

Causes eye irritation. Symptoms include itching, burning, redness, and tearing of eyes. Causes

shoes and clothing.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

Provide general supportive measures and treat symptomatically.

present and easy to do. Continue rinsing. Get medical attention immediately.

Get medical attention if any discomfort occurs. Ingestion

Most important

General information

symptoms/effects, acute and

delaved Indication of immediate

medical attention and special treatment needed

skin irritation. Symptoms may include redness, drying and cracking of the skin. May cause sensitization by skin contact.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from

the chemical

Special protective equipment

and precautions for firefighters Fire fighting

equipment/instructions

Specific methods

General fire hazards

Dry chemical powder. Carbon dioxide (CO2). Foam.

Water may be ineffective.

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus, operated in positive pressure mode and full protective clothing must be worn in case of fire.

Evacuate area and fight fire from a safe distance. Stop leak if you can do so without risk. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to

fire. Move container from fire area if it can be done without risk. Use water spray to cool unopened

containers. Cool containers exposed to flames with water until well after the fire is out. If possible. prevent water running into sewers. Water runoff can cause environmental damage.

The product is not flammable. However: Will burn if strongly heated and when involved in fire.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes. For personal protection, see Section 8 of the SDS.

Methods and materials for containment and cleaning up

Collect and dispose of spillage as indicated in Section 13 of the SDS. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Wipe up with absorbent material (e.g. cloth, fleece). Should not be released into the environment. Never return spills in original containers for re-use. Prevent product from entering drains.

Environmental precautions

Prevent entry into waterways, sewer, basements or confined areas. Environmental manager must be informed of all major spillages.

7. Handling and storage

Precautions for safe handling

Avoid contact with skin and eyes. Wear personal protective equipment. Avoid release to the environment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Avoid heat, sparks, open flames and other ignition sources. Store in tightly closed original container. Store in a cool and well-ventilated place. Store away from incompatible materials.

B-220 CAT PRP SEALANT SDS US

8. Exposure controls/personal protection

Occupational exposure limits No exposure limits noted for ingredient(s).

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines No exposure standards allocated.

Appropriate engineering

controls

General ventilation normally adequate. Ensure adequate ventilation, especially in confined areas.

Provide easy access to water supply and eye wash facilities.

Individual protection measures, such as personal protective equipment

Wear approved chemical safety goggles. Use face shield in case of splash risk. Eye/face protection

Skin protection

considerations

Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove Hand protection

supplier. Be aware that the liquid may penetrate the gloves. Frequent change is advisable.

Other Wear chemical-resistant gloves, footwear and protective clothing appropriate for risk of exposure.

Contact chemical protective clothing manufacturer for specific information.

No personal respiratory protective equipment normally required. Respiratory protection

In case of inadequate ventilation, use respiratory protection.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material General hygiene

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance Colorless liquid.

Liquid. Physical state **Form** Liquid. Color Colorless. Odor Slight.

Not available. Odor threshold Not available. Not available. Melting point/freezing point

Initial boiling point and boiling

range

> 500 °F (> 260 °C)

> 230.0 °F (> 110.0 °C) Flash point

Evaporation rate Very slow. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

Not available.

Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%) Vapor pressure 0.03 mm Hg Not available. Vapor density

Relative density 1.16 - 1.19 (Water=1) at 25°C (77°F)

Solubility(ies)

Slightly soluble (in water). Solubility (water)

Not available. Partition coefficient

(n-octanol/water)

Auto-ignition temperature Not available. **Decomposition temperature** Not available. **Viscosity** Not available.

B-220 CAT PRP SEALANT SDS US

Version #: 01 Revision date: -Issue date: 17-February-2015

10. Stability and reactivity

ReactivityThe product is non-reactive under normal conditions of use, storage and transport.

Chemical stabilityThe product is stable under normal conditions of use, storage and transport.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Exposure to heat and contact with sources of ignition. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents. Strong acids. Amines. Strong alkalis.

Hazardous decomposition During combustion: Carbon oxides. Chlorine compounds.

products

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause irritation of nose, throat and mucous membranes.

Skin contactCauses skin irritation. Prolonged contact may cause redness, irritation and dry skin. May cause

sensitization by skin contact.

Eye contact Causes eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision.

Ingestion Ingestion may cause irritation and malaise. May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Skin. Causes skin irritation. Symptoms may include redness, drying and cracking of the skin.

Sensitization.

Eyes. Causes eye irritation. Contact may cause irritation with redness, tearing and pain.

Information on toxicological effects

Acute toxicity Causes skin and eye irritation.

Components Species Test Results

Bisphenol A/ epichlorohydrin epoxy resin (CAS 25068-38-6)

Acute

Dermal

LD50 Rat > 2000 mg/kg

Oral

LD50 Rat > 5000 mg/kg

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye Causes serious eye irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity Not classified.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity Not classified.

Specific target organ toxicity - Not available.

single exposure

Specific target organ toxicity -

repeated exposure

Not available.

Aspiration hazard Not classified.

Chronic effects May cause allergic skin reaction.

12. Ecological information

Ecotoxicity Toxic to aquatic life with long lasting effects.

B-220 CAT PRP SEALANT SDS US

Components **Species Test Results**

Bisphenol A/ epichlorohydrin epoxy resin (CAS 25068-38-6)

LC50 Salmo gairdneri 1.5 mg/l, 96 hours

Aquatic

Crustacea EC50 Daphnia magna 2.7 mg/l, 48 hours

Expected to be persistent. Persistence and degradability

The product is not expected to bioaccumulate. Bioaccumulative potential

Expected to be mobile in soil. Mobility in soil

Other adverse effects No data available.

13. Disposal considerations

Disposal instructions Dispose in accordance with all applicable regulations. Do not allow runoff to sewer, waterway or

ground.

Hazardous waste code Not regulated.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

UN3082 **UN** number

UN proper shipping name

Transport hazard class(es)

Environmentally hazardous substances, liquid, n.o.s. (Bisphenol A/ epichlorohydrin epoxy resin)

9 Class Subsidiary risk Label(s) 9 **Packing group** Ш

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions 8, 146, IB3, T4, TP1, TP29

155 Packaging exceptions Packaging non bulk 203 Packaging bulk 241

IATA

UN number UN3082

UN proper shipping name

Environmentally hazardous substance, liquid, n.o.s. (Bisphenol A/ epichlorohydrin epoxy resin)

Transport hazard class(es)

9 Class Subsidiary risk Ш Packing group **Environmental hazards** No. **ERG Code** 9L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number UN3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol A/ **UN proper shipping name**

epichlorohydrin epoxy resin)

Transport hazard class(es)

Class 9 Subsidiary risk Packing group Ш **Environmental hazards**

Marine pollutant Yes **EmS** F-A, S-F

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Not available.

Annex II of MARPOL 73/78 and

the IBC Code

SDS US **B-220 CAT PRP SEALANT**

Issue date: 17-February-2015 Version #: 01 Revision date: -

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

CERCLA/SARA Hazardous Substances - Not applicable.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

No

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

US state regulationsThis product does not contain a chemical known to the State of California to cause cancer, birth

defects or other reproductive harm.

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes

B-220 CAT PRP SEALANT SDS US

Country(s) or region Inventory name On inventory (yes/no)*

Philippines Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 17-February-2015

Revision date - 01

Further information HMIS® is a registered trade and service mark of the NPCA.

HMIS® ratings Health: 2

Flammability: 1 Physical hazard: 0

NFPA ratings



References ACGIH

EPA: Acquire database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Disclaimer This information is provided without warranty. The information is believed to be correct. This

information should be used to make an independent determination of the methods to safeguard

workers and the environment.

B-220 CAT PRP SEALANT SDS US

Version #: 01 Revision date: - Issue date: 17-February-2015